


**AMENDMENTS TO THE CLAIMS**

**IN THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application. Please amend the claims as follows.

1. (Previously presented) A compound of Formula (I):




(I)

wherein

G<sub>1</sub> is (CH<sub>2</sub>)<sub>k</sub>, where k is 0 to 3;

G<sub>2</sub> is


- a) hydrogen
- b) -C<sub>1-6</sub> alkyl;
- c) -aryl;
- d) -C<sub>1-6</sub> alkylaryl;
- e)



where R<sub>5</sub> and R<sub>6</sub> are independently selected from the group consisting of


- i) -H;
- ii) -C<sub>1-6</sub> alkyl;
- iii) -aryl;
- iv) -C<sub>1-6</sub> alkylaryl;

- v)  $-\text{C}(\text{O})-\text{O}-\text{C}_{1-6}$  alkyl;
- vi)  $-\text{C}(\text{O})-\text{O}-\text{C}_{1-6}$  alkylaryl;
- vii)  $-\text{C}(\text{O})-\text{O}-\text{C}_{1-6}$  alkylcycloalkylaryl;
- viii)  $-\text{C}(\text{O})-\text{NH}-\text{C}_{1-6}$  alkyl;
- ix)  $-\text{C}(\text{O})-\text{NH}-\text{C}_{1-6}$  alkylaryl;
- x)  $-\text{SO}_2-\text{C}_{1-6}$  alkyl;
- xi)  $-\text{SO}_2-\text{C}_{1-6}$  alkylaryl;
- xii)  $-\text{SO}_2$ -aryl;
- xiii)  $-\text{SO}_2-\text{NH}-\text{C}_{1-6}$  alkyl;
- xiv)  $-\text{SO}_2-\text{NH}-\text{C}_{1-6}$  alkylaryl;



- xvi)  $-\text{C}(\text{O})-\text{C}_{1-6}$  alkyl; and
- xvii)  $-\text{C}(\text{O})-\text{C}_{1-6}$  alkylaryl; or

f) a group of the formula



wherein

$R_9$ ,  $R_{10}$ , and  $R_{11}$  are independently selected from the group  
consisting of

- i) -hydrogen;
- ii) -C<sub>1-6</sub> alkyl;
- iii) -aryl;
- iv) -C<sub>1-6</sub> alkylaryl;
- v) -C(O)-O-C<sub>1-6</sub> alkyl;
- vi) -C(O)-O-C<sub>1-6</sub> alkylaryl;
- vii) -C(O)-NH-C<sub>1-6</sub> alkyl;
- viii) -C(O)-NH-C<sub>1-6</sub> alkylaryl;
- ix) -SO<sub>2</sub>-C<sub>1-6</sub> alkyl;
- x) -SO<sub>2</sub>-C<sub>1-6</sub> alkylaryl;
- xi) -SO<sub>2</sub>-aryl;
- xii) -SO<sub>2</sub>-NH-C<sub>1-6</sub> alkyl;
- xiii) -SO<sub>2</sub>-NH-C<sub>1-6</sub> alkylaryl;
- xiv) -C(O)-C<sub>1-6</sub> alkyl; and
- xv) -C(O)-C<sub>1-6</sub> alkylaryl; or


$R_{10}$  and  $R_{11}$  are taken together to constitute a fused cycloalkyl, fused heterocyclyl, or fused aryl ring containing the atoms to which  $R_{10}$  and  $R_{11}$  are bonded;

$R_1$  is


- a) hydrogen;
- b) -C<sub>1-6</sub> alkyl;
- c) -aryl; or
- d) -C<sub>1-6</sub> alkylaryl;

R<sub>2</sub> is

- a) -C<sub>1-6</sub> alkyl;
- b) -aryl;
- c) -C<sub>1-6</sub> alkylaryl; or
- d) a group of the formula



wherein m and n are independently selected from 1, 2, 3, or 4; X is a direct bond, CH<sub>2</sub>-, -O-, -S-, -S(O<sub>2</sub>)-, -C(O)-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -O-C(O)-, -NHSO<sub>2</sub>NH-,




-Q<sub>1</sub>- is C<sub>1-6</sub> alkylene, C<sub>2-6</sub> alkenylene, or C<sub>2-6</sub> alkynylene;


R<sub>3</sub> is

- a) hydrogen;
- b) -C<sub>1-6</sub> alkyl;
- c) -C<sub>1-6</sub> alkylaryl; or
- d) -C<sub>1-6</sub> alkoxyaryl;

R<sub>4</sub> is




wherein L is -CH<sub>2</sub>-, -O-, -N(H)-, -S-, SO<sub>2</sub>-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -NHCO<sub>2</sub>NH-, -O-CO-,



R<sub>36</sub> and R<sub>37</sub> are independently selected from the group consisting of hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylaryl, C<sub>1</sub>-C<sub>6</sub> alkoxy, and C<sub>1</sub>-C<sub>6</sub> alkoxyaryl

R<sub>12</sub> and R<sub>13</sub> are independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylaryl, and aryl;

R<sub>7</sub> and R<sub>8</sub> are independently selected from the group consisting of hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylaryl, and aryl; or R<sub>7</sub> and R<sub>8</sub> are taken together to form a ring having the formula -(CH<sub>2</sub>)<sub>o</sub>-Z'-(CH<sub>2</sub>)<sub>p</sub>- bonded to the atoms to which R<sub>7</sub> and R<sub>8</sub> are attached, wherein o' and p' are, independently, 1, 2, 3, or 4; Z' is a direct bond, -CH<sub>2</sub>-, -O-, -S-, -S(O<sub>2</sub>)-, -C(O)-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHCO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -O-C(O)-, -NHCO<sub>2</sub>NH-,




$\text{R}_{40}$  and  $\text{R}_{41}$  are independently selected from the group consisting of hydrogen, aryl,  $\text{C}_1\text{-C}_6$  alkyl, and  $\text{C}_1\text{-C}_6$  alkylaryl; and

wherein

the aryl and/or alkyl group(s) in  $\text{R}_1$ ,  $\text{R}_2$ ,  $\text{R}_3$ ,  $\text{R}_4$ ,  $\text{R}_5$ ,  $\text{R}_6$ ,  $\text{R}_7$ ,  $\text{R}_8$ ,  $\text{R}_9$ ,  $\text{R}_{10}$ ,  $\text{R}_{11}$ ,  $\text{R}_{12}$ , and  $\text{R}_{13}$  may be optionally substituted 1-4 times with a substituent group, wherein said substituent group(s) or the term substituted refers to groups:

- a) -H;
- b) -Y- $\text{C}_{1-6}$  alkyl;  
-Y-aryl;  
-Y- $\text{C}_{1-6}$  alkylaryl;  
-Y- $\text{C}_{1-6}$ -alkyl- $\text{NR}_{14}\text{R}_{15}$ ;  
-Y- $\text{C}_{1-6}$ -alkyl-W- $\text{R}_{16}$ ;

wherein Y and W are independently selected from the group consisting of - $\text{CH}_2$ -, -O-, -N(H)-, -S-,  $\text{SO}_2$ -, -CON(H)-, -NHC(O)-, -NHCON(H)-, - $\text{NHSO}_2$ -, - $\text{SO}_2\text{N(H)}$ -, -C(O)-O-, - $\text{NHSO}_2\text{NH}$ -, -O-CO-,




$R_{16}$ ,  $R_{17}$ , and  $R_{18}$  are independently selected from the group consisting of hydrogen, aryl,  $C_1$ - $C_6$  alkyl,  $C_1$ - $C_6$  alkylaryl,  $C_1$ - $C_6$  alkoxy, and  $C_1$ - $C_6$  alkoxyaryl; and

c) halogen, hydroxyl, cyano, carbamoyl, and carboxyl; and


$R_{14}$  and  $R_{15}$  are independently selected from the group consisting of hydrogen, aryl,  $C_1$ - $C_6$  alkyl, and  $C_1$ - $C_6$  alkylaryl; or

$R_{14}$  and  $R_{15}$  are taken together to form a ring having the formula  $-(CH_2)_o-Z-(CH_2)_p-$  bonded to the nitrogen atom to which  $R_{14}$  and  $R_{15}$  are attached, wherein o and p are, independently, 1, 2, 3, or 4; Z is a direct bond,  $-CH_2-$ ,  $-O-$ ,  $-S-$ ,  $-S(O_2)-$ ,  $-C(O)-$ ,  $-CON(H)-$ ,  $-NHC(O)-$ ,  $-NHCON(H)-$ ,  $-NHSO_2-$ ,  $-SO_2N(H)-$ ,  $-C(O)-O-$ ,  $-O-C(O)-$ ,  $-NHSO_2NH-$ ,




$R_{19}$  and  $R_{20}$  are independently selected from the group consisting of hydrogen, aryl,  $C_1$ - $C_6$  alkyl, and  $C_1$ - $C_6$  alkylaryl.

2. (Withdrawn – currently amended) The compound of claim 1, represented by Formula (Ia)



wherein  $G_1$  comprises is a direct bond;




$R_1$  comprises is H;

( ) comprises is a  $-CH_2-$  group or a direct covalent bond, and x and w are independently equal to 0 to 2, with the proviso that x and w can not both be equal to 0;



$R_3$  comprises is

- a) hydrogen;
- b)  $-C_{1-6}$  alkyl;
- c)  $-C_{1-6}$  alkylaryl; or
- d)  $-C_{1-6}$  alkoxyaryl;


$R_4$  is







wherein L is -CH<sub>2</sub>-, -O-, -N(H)-, -S-, SO<sub>2</sub>-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -NHSO<sub>2</sub>NH-, -O-CO-,



R<sub>36</sub> and R<sub>37</sub> are independently selected from the group consisting of hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylaryl, C<sub>1</sub>-C<sub>6</sub> alkoxy, and C<sub>1</sub>-C<sub>6</sub> alkoxyaryl

R<sub>4</sub> comprises


- a) C<sub>1-6</sub> alkylaryl;
- b) C<sub>1-6</sub> alkoxyaryl; or
- c) aryl;

R<sub>6</sub> comprises is

- a) -H;
- b) -C<sub>1-6</sub> alkyl;
- c) -aryl;
- d) -C<sub>1-6</sub> alkylaryl; or

- e) a group selected from  $-\text{C}(\text{O})\text{R}_{25}$ ,  $-\text{C}(\text{O})\text{OR}_{25}$ ,  $-\text{C}(\text{O})\text{NR}_{26}\text{R}_{25}$ ,  $-\text{S}(\text{O})_2\text{R}_{25}$ , and  $-\text{S}(\text{O})_2\text{NR}_{26}\text{R}_{25}$ ; wherein  $\text{R}_{25}$  and  $\text{R}_{26}$  independently ~~comprise~~ are  $-\text{C}_{1-6}$  alkyl, aryl, or  $-\text{C}_{1-6}$  alkylaryl;

$\text{R}_5$  and  $\text{R}_2$  are taken together to form a ring of structure




wherein  $\text{R}_{21}$ ,  $\text{R}_{22}$ ,  $\text{R}_{23}$  and  $\text{R}_{24}$  independently ~~comprise~~ are

- i)  $-\text{H}$ ;
- ii)  $-\text{C}_{1-6}$  alkyl;
- iii)  $-\text{aryl}$ ;
- iv)  $-\text{C}_{1-6}$  alkylaryl; or
- v) a group of the formula  $-\text{U}-\text{R}_{27}$ , wherein  $\text{U}$  ~~comprises~~ is  $-\text{C}(\text{O})-$ ,  $-\text{C}(\text{O})\text{O}-$ ,  $-\text{O}-$ ,  $-\text{S}-$ ,  $-\text{S}(\text{O})-$ ,  $-\text{S}(\text{O})_2-$ , or  $-\text{NR}_{28}-$ , wherein  $\text{R}_{27}$  and  $\text{R}_{28}$  independently ~~comprise~~ are  $-\text{H}$ ,  $-\text{aryl}$ ,  $-\text{C}_{1-6}$  alkyl, or  $-\text{C}_{1-6}$  alkylaryl;

the aryl and/or alkyl group(s) in  $\text{R}_3$ ,  $\text{R}_4$ , and  $\text{R}_6$  may be optionally substituted 1-4 times with a substituent group, wherein said substituent group(s) or the term substituted refers to the groups ~~comprising~~:

- a)  $-\text{H}$ ;
- b)  $-\text{Y}-\text{C}_{1-6}$  alkyl;
- $-\text{Y}-\text{aryl}$ ;
- $-\text{Y}-\text{C}_{1-6}$  alkylaryl;
- $-\text{Y}-\text{C}_{1-6}-\text{alkyl}-\text{NR}_{14}\text{R}_{15}$ ;
- $-\text{Y}-\text{C}_{1-6}-\text{alkyl}-\text{W}-\text{R}_{16}$ ;

wherein Y and W independently ~~comprise~~ are -CH<sub>2</sub>-, -O-, -N(H)-, -S-, SO<sub>2</sub>-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -NHSO<sub>2</sub>NH-, -O-CO-,




R<sub>16</sub>, R<sub>17</sub>, and R<sub>18</sub> independently ~~comprise~~ are hydrogen<sup>?</sup>, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylaryl, C<sub>1</sub>-C<sub>6</sub> alkoxy, or C<sub>1</sub>-C<sub>6</sub> alkoxyaryl; or

c) halogen, hydroxyl, cyano, carbamoyl, or carboxyl; and


R<sub>14</sub> and R<sub>15</sub> independently ~~comprise~~ are hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, or ~~and~~ C<sub>1</sub>-C<sub>6</sub> alkylaryl; or wherein

R<sub>14</sub> and R<sub>15</sub> may be taken together to form a ring having the formula -(CH<sub>2</sub>)<sub>o</sub>-Z-(CH<sub>2</sub>)<sub>p</sub>- bonded to the nitrogen atom to which R<sub>14</sub> and R<sub>15</sub> are attached, wherein o and p are, independently, 1, 2, 3, or 4; Z ~~comprises~~ is a direct bond, -CH<sub>2</sub>-, -O-, -S-, -S(O<sub>2</sub>)-, -C(O)-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -O-C(O)-, -NHSO<sub>2</sub>NH-,




R<sub>19</sub> and R<sub>20</sub> ~~comprise~~ are hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, or C<sub>1</sub>-C<sub>6</sub> alkylaryl.

3. (Withdrawn –currently amended) The compound of claim 1, represented by Formula (Ib)



wherein,  
G<sub>1</sub> comprises is a direct bond;



R<sub>1</sub> comprises is H;

( ) comprises is a –CH<sub>2</sub>– group or a direct covalent bond, and y and z are, independently, an integer of from 0 to 3;

R<sub>3</sub> comprises is

- a) hydrogen;
- b) –C<sub>1-6</sub> alkyl;
- c) –C<sub>1-6</sub> alkylaryl; or
- d) –C<sub>1-6</sub> alkoxyaryl;

R<sub>4</sub> comprises

- a) –C<sub>1-6</sub> alkylaryl;
- b) –C<sub>1-6</sub> alkoxyaryl; or
- c) –aryl;


R<sub>6</sub> comprises is

- a) -H;
- b) -C<sub>1-6</sub> alkyl;
- c) -aryl;
- d) -C<sub>1-6</sub> alkylaryl; or
- e) a group selected from -C(O)R<sub>25</sub>, -C(O)OR<sub>25</sub>, -C(O)NR<sub>26</sub>R<sub>25</sub>, -S(O)<sub>2</sub>R<sub>25</sub>, and -S(O)<sub>2</sub>NR<sub>26</sub>R<sub>25</sub>; wherein R<sub>25</sub> and R<sub>26</sub> independently comprise are -C<sub>1-6</sub> alkyl, aryl, or -C<sub>1-6</sub> alkylaryl;

the aryl and/or alkyl group(s) in R<sub>3</sub>, R<sub>4</sub>, and R<sub>6</sub> may be optionally substituted 1-4 times with a substituent group, wherein said substituent group(s) or the term substituted refers to groups comprising:

- a) -H;
- b) -Y-C<sub>1-6</sub> alkyl;  
-Y-aryl;  
-Y-C<sub>1-6</sub> alkylaryl;  
-Y-C<sub>1-6</sub>-alkyl-NR<sub>14</sub>R<sub>15</sub>;  
-Y-C<sub>1-6</sub>-alkyl-W-R<sub>16</sub>;

wherein Y and W independently comprise are -CH<sub>2</sub>-, -O-, -N(H)-, -S-, SO<sub>2</sub>-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -NHSO<sub>2</sub>NH-, -O-CO-,





- b)  $-C_{1-6}$  alkyl;
- c)  $-\text{aryl}$ ;
- d)  $-C_{1-6}$  alkylaryl;
- e)  $-\text{C}(\text{O})-\text{O}-C_{1-6}$  alkyl;
- f)  $-\text{C}(\text{O})-\text{O}-C_{1-6}$  alkylaryl;
- g)  $-\text{C}(\text{O})-\text{NH}-C_{1-6}$  alkyl;
- h)  $-\text{C}(\text{O})-\text{NH}-C_{1-6}$  alkylaryl;
- i)  $-\text{SO}_2-C_{1-6}$  alkyl;
- j)  $-\text{SO}_2-C_{1-6}$  alkylaryl;
- k)  $-\text{SO}_2-\text{aryl}$ ;
- l)  $-\text{SO}_2-\text{NH}-C_{1-6}$  alkyl;
- m)  $-\text{SO}_2-\text{NH}-C_{1-6}$  alkylaryl;
- n)  $-\text{C}(\text{O})-C_{1-6}$  alkyl;
- o)  $-\text{C}(\text{O})-C_{1-6}$  alkylaryl; or
- p) a group of the formula  $-\text{V}-\text{R}_{31}$ ,

wherein V ~~comprises~~ is a group of the formula  $-\text{C}(\text{O})$ ,  $-\text{OC}(\text{O})-$ ,  $-\text{O}-$ ,  $-\text{S}-$ ,  $-\text{S}(\text{O})-$ ,  $-\text{S}(\text{O}_2)-$ ,  $-\text{NH}-$ , or  $-\text{N}(\text{R}_{32})-$ ;

wherein  $\text{R}_{31}$  and  $\text{R}_{32}$  ~~comprise~~ are


- i)  $-\text{H}$
- ii)  $-C_{1-6}$  alkyl;
- iii)  $-\text{aryl}$ ;
- iv)  $-C_{1-6}$  alkylaryl;
- v)  $-\text{C}(\text{O})-\text{O}-C_{1-6}$  alkyl;
- vi)  $-\text{C}(\text{O})-\text{O}-C_{1-6}$  alkylaryl;
- vii)  $-\text{C}(\text{O})-\text{NH}-C_{1-6}$  alkyl;  $-\text{C}(\text{O})-\text{NH}-C_{1-6}$  alkylaryl;
- viii)  $-\text{SO}_2-C_{1-6}$  alkyl;
- ix)  $-\text{SO}_2-C_{1-6}$  alkylaryl;
- x)  $-\text{SO}_2-\text{aryl}$ ;
- xi)  $-\text{SO}_2-\text{NH}-C_{1-6}$  alkyl;

- xii)  $-\text{SO}_2\text{-NH-C}_{1-6}$  alkylaryl;
- xiii)  $-\text{C(O)-C}_{1-6}$  alkyl; or
- xiv)  $-\text{C(O)-C}_{1-6}$  alkylaryl;

wherein  $\text{R}_{29}$ ,  $\text{R}_{30}$ ,  $\text{R}_{31}$ , and  $\text{R}_{32}$  may be optionally substituted 1-4 times with a substituent group, wherein said substituent group(s) or the term substituted refers to groups comprising:

- a)  $-\text{H}$ ;
- b)  $-\text{L-C}_{1-6}$  alkyl;  
 $-\text{L-aryl}$ ;  
 $-\text{L-C}_{1-6}$  alkylaryl;  
 $-\text{L-C}_{1-6}\text{-alkyl-NR}_{33}\text{R}_{34}$ ;  
 $-\text{L-C}_{1-6}\text{alkyl-Q}_2\text{-R}_{35}$ ;

wherein L and  $\text{Q}_2$  independently comprise are  $-\text{CH}_2-$ ,  $-\text{O}-$ ,  $-\text{N(H)}$ ,  $-\text{S}-$ ,  $\text{SO}_2-$ ,  $-\text{CON(H)-}$ ,  $-\text{NHC(O)-}$ ,  $-\text{NHCON(H)-}$ ,  $-\text{NHSO}_2-$ ,  $-\text{SO}_2\text{N(H)-}$ ,  $-\text{C(O)-O-}$ ,  $-\text{NHSO}_2\text{NH-}$ ,  $-\text{O-CO-}$ ,




$\text{R}_{35}$ ,  $\text{R}_{36}$ , and  $\text{R}_{37}$  comprise are hydrogen, aryl,  $\text{C}_1\text{-C}_6$  alkyl,  $\text{C}_1\text{-C}_6$  alkylaryl,  $\text{C}_1\text{-C}_6$  alkoxy, or  $\text{C}_1\text{-C}_6$  alkoxyaryl; or

- c) halogen, hydroxyl, cyano, carbamoyl, or carboxyl; and

$\text{R}_{33}$  and  $\text{R}_{34}$  independently comprise are hydrogen, aryl,  $\text{C}_1\text{-C}_6$  alkyl, or  $\text{C}_1\text{-C}_6$  alkylaryl; and wherein




$R_{33}$  and  $R_{34}$  may be taken together to form a ring having the formula  $-(CH_2)_e-J-(CH_2)_k-$  bonded to the nitrogen atom to which  $R_{33}$  and  $R_{34}$  are attached, wherein  $e$  and  $k$  are, independently, 1, 2, 3, or 4;  $J$  ~~comprises~~ is a direct bond,  $-CH_2-$ ,  $-O-$ ,  $-S-$ ,  $-S(O_2)-$ ,  $-C(O)-$ ,  $-CON(H)-$ ,  $-NHC(O)-$ ,  $-NHCON(H)-$ ,  $-NHSO_2-$ ,  $-SO_2N(H)-$ ,  $-C(O)-O-$ ,  $-O-C(O)-$ ,  $-NHSO_2NH-$ ,



$R_{38}$  and  $R_{39}$  ~~comprises~~ is hydrogen, aryl,  $C_1$ - $C_6$  alkyl, or  $C_1$ - $C_6$  alkylaryl.

4. (Withdrawn –currently amended) The compound of claim 1, represented by Formula (Ic):




wherein,

$R_1$  ~~comprises~~ is hydrogen, or  $C_{1-3}$  alkylaryl wherein the aryl is substituted with  $-Y-C_{1-6}$  alkylaryl;


$R_2$  ~~comprises~~ is  $C_{1-3}$  alkylaryl wherein the aryl is substituted with  $-Y-C_{1-6}$  alkylaryl,

wherein Y ~~comprises~~ is -CH<sub>2</sub>-, -O-, -N(H), -S-, SO<sub>2</sub>-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -NHSO<sub>2</sub>NH-, -O-CO-,



R<sub>17</sub>, and R<sub>18</sub> independently ~~comprises~~ is hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylaryl, C<sub>1</sub>-C<sub>6</sub> alkoxy, or C<sub>1</sub>-C<sub>6</sub> alkoxyaryl.

5. (Withdrawn –currently amended) The compound of claim 1, represented by Formula (Id):




wherein,

R<sub>1</sub> ~~comprises~~ is hydrogen, or C<sub>1-3</sub> alkylaryl wherein the aryl is substituted with -Y-C<sub>1-6</sub> alkylaryl;

R<sub>2</sub> ~~comprises~~ is C<sub>1-3</sub> alkylaryl wherein the aryl is substituted with -Y-C<sub>1-6</sub> alkylaryl;

wherein Y ~~comprises~~ is -CH<sub>2</sub>-, -O-, -N(H), -S-, SO<sub>2</sub>-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -NHSO<sub>2</sub>NH-, -O-CO-,




$\text{R}_{17}$ , and  $\text{R}_{18}$  independently ~~comprises~~ is hydrogen, aryl,  $\text{C}_1\text{-C}_6$  alkyl,  $\text{C}_1\text{-C}_6$  alkylaryl,  $\text{C}_1\text{-C}_6$  alkoxy, or  $\text{C}_1\text{-C}_6$  alkoxyaryl;

$\text{R}_3$  ~~comprises~~ is hydrogen or  $-\text{L-C}_{1-6}\text{-alkyl-N(alkyl)}_2$ ;

$\text{R}_4$  ~~comprises~~  $-\text{L-C}_{1-6}\text{-alkyl-N(alkyl)}_2$ ;


$\text{R}_{14}$  and  $\text{R}_{15}$  are alkyl; and

wherein L ~~comprises~~ is  $-\text{CH}_2-$ ,  $-\text{O}-$ ,  $-\text{N(H)}-$ ,  $-\text{S}-$ ,  $\text{SO}_2-$ ,  $-\text{CON(H)}-$ ,  $-\text{NHC(O)}-$ ,  $-\text{NHCON(H)}-$ ,  $-\text{NHSO}_2-$ ,  $-\text{SO}_2\text{N(H)}-$ ,  $-\text{C(O)}-\text{O}-$ ,  $-\text{NHSO}_2\text{NH}-$ ,  $-\text{O-CO}-$ ,



$\text{R}_{35}$ ,  $\text{R}_{36}$ , and  $\text{R}_{37}$  independently ~~comprise~~ are hydrogen, aryl,  $\text{C}_1\text{-C}_6$  alkyl,  $\text{C}_1\text{-C}_6$  alkylaryl,  $\text{C}_1\text{-C}_6$  alkoxy, or  $\text{C}_1\text{-C}_6$  alkoxyaryl.


6. (Withdrawn –currently amended) The compound of claim 1, represented by Formula (Ie):



wherein,

$\text{G}_1$  ~~comprises~~ is a direct bond;

G<sub>2</sub> comprises is a group of the formula



wherein

R<sub>9</sub>, R<sub>10</sub>, and R<sub>11</sub> may be hydrogen; or

R<sub>9</sub>, R<sub>10</sub>, and R<sub>11</sub> independently comprise are

- i) -C<sub>1-6</sub> alkyl;
- ii) -aryl;
- iii) -C<sub>1-6</sub> alkylaryl;
- iv) -C(O)-O-C<sub>1-6</sub> alkyl;
- v) -C(O)-O-C<sub>1-6</sub> alkylaryl;
- vi) -C(O)-NH-C<sub>1-6</sub> alkyl;
- vii) -C(O)-NH-C<sub>1-6</sub> alkylaryl;
- viii) -SO<sub>2</sub>-C<sub>1-6</sub> alkyl;
- ix) -SO<sub>2</sub>-C<sub>1-6</sub> alkylaryl;
- x) -SO<sub>2</sub>-aryl;
- xi) -SO<sub>2</sub>-NH-C<sub>1-6</sub> alkyl;
- xii) -SO<sub>2</sub>-NH-C<sub>1-6</sub> alkylaryl;
- xiii) -C(O)-C<sub>1-6</sub> alkyl; or

xiv) -C(O)-C<sub>1-6</sub> alkylaryl; or

R<sub>10</sub> and R<sub>11</sub> may be taken together to constitute a fused cycloalkyl, fused heterocyclyl, or fused aryl ring containing the atoms to which R<sub>10</sub> and R<sub>11</sub> are bonded;

R<sub>1</sub> comprises is H;

R<sub>2</sub> comprises is

- a) -C<sub>1-6</sub> alkyl;
- b) -aryl; or
- c) -C<sub>1-6</sub> alkylaryl;

R<sub>3</sub> comprises is

- a) hydrogen;
- b) -C<sub>1-6</sub> alkyl;
- c) -C<sub>1-6</sub> alkylaryl; or
- d) -C<sub>1-6</sub> alkoxyaryl;

R<sub>4</sub> comprises


- a) ~~-C<sub>1-6</sub> alkylaryl;~~
- b) ~~-C<sub>1-6</sub> alkoxyaryl; or~~
- c) ~~-aryl;~~

the aryl and/or alkyl group(s) in R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub>, R<sub>9</sub>, R<sub>10</sub>, R<sub>11</sub> may be optionally substituted 1-4 times with a substituent group, wherein said substituent group(s) or the term substituted refers to groups comprising:

- a) -H;

- b) -Y-C<sub>1-6</sub> alkyl;  
-Y-aryl;  
-Y-C<sub>1-6</sub> alkylaryl;  
-Y-C<sub>1-6</sub>-alkyl-NR<sub>14</sub>R<sub>15</sub>;  
-Y-C<sub>1-6</sub>-alkyl-W-R<sub>16</sub>;

wherein Y and W independently ~~comprise~~ are -CH<sub>2</sub>-, -O-, -N(H), -S-, SO<sub>2</sub>-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -NHSO<sub>2</sub>NH-, -O-CO-,




R<sub>16</sub>, R<sub>17</sub>, and R<sub>18</sub> ~~comprise~~ are hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylaryl, C<sub>1</sub>-C<sub>6</sub> alkoxy, or C<sub>1</sub>-C<sub>6</sub> alkoxyaryl; or

- c) halogen, hydroxyl, cyano, carbamoyl, or carboxyl; and


R<sub>14</sub> and R<sub>15</sub> independently ~~comprise~~ are hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, or C<sub>1</sub>-C<sub>6</sub> alkylaryl; and wherein

R<sub>14</sub> and R<sub>15</sub> may be taken together to form a ring having the formula -(CH<sub>2</sub>)<sub>o</sub>-Z-(CH<sub>2</sub>)<sub>p</sub>- bonded to the nitrogen atom to which R<sub>14</sub> and R<sub>15</sub> are attached, wherein o and p are, independently, 1, 2, 3, or 4; Z ~~comprises~~ is a direct bond, -CH<sub>2</sub>-, -O-, -S-, -S(O<sub>2</sub>)-, -C(O)-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -O-C(O)-, -NHSO<sub>2</sub>NH-,




R<sub>19</sub> and R<sub>20</sub> independently ~~comprise~~ are hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, or C<sub>1</sub>-C<sub>6</sub> alkylaryl;

7. (Withdrawn –currently amended) The compound of claim 1, represented by Formula (If):




wherein,

G<sub>1</sub> ~~comprises~~ is a direct bond;




R<sub>1</sub> ~~comprises~~ is H;

R<sub>2</sub> ~~comprises~~ is a group of the formula



wherein m and n are independently selected from 1, 2, 3, or 4; X ~~comprises~~ is a direct bond,  $\text{CH}_2$ -, -O-, -S-, -S(O<sub>2</sub>)-, -C(O)-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -O-C(O)-, -NHSO<sub>2</sub>NH-,



-Q<sub>1</sub>- ~~comprises~~ is C<sub>1-6</sub> alkylene, C<sub>2-6</sub> alkenylene, or C<sub>2-6</sub> alkynylene;

R<sub>12</sub> and R<sub>13</sub> independently ~~comprises~~ is hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylaryl, or aryl; and wherein

R<sub>3</sub> ~~comprises~~ is

- a) hydrogen;
- b) -C<sub>1-6</sub> alkyl;
- c) -C<sub>1-6</sub> alkylaryl; or
- d) -C<sub>1-6</sub> alkoxyaryl;

R<sub>4</sub> ~~comprises~~

- a) -C<sub>1-6</sub> alkylaryl;
- b) -C<sub>1-6</sub> alkoxyaryl; or
- c) -aryl;

R<sub>5</sub> and R<sub>6</sub> independently ~~comprise~~ are

- a) -H;




- b) -C<sub>1-6</sub> alkyl;
- c) -aryl;
- d) -C<sub>1-6</sub> alkylaryl; or
- e) a group selected from -C(O)R<sub>25</sub>, -C(O)OR<sub>25</sub>, -C(O)NR<sub>26</sub>R<sub>25</sub>, -S(O)<sub>2</sub>R<sub>25</sub>, and -S(O)<sub>2</sub>NR<sub>26</sub>R<sub>25</sub>; wherein R<sub>25</sub> and R<sub>26</sub> independently ~~comprise~~ are -C<sub>1-6</sub> alkyl, aryl, and -C<sub>1-6</sub> alkylaryl;

the aryl and/or alkyl group(s) in R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>12</sub>, and R<sub>13</sub> may be optionally substituted 1-4 times with a substituent group, wherein said substituent group(s) or the term substituted refers to groups ~~comprising~~:

- a) -H;
- b) -Y-C<sub>1-6</sub> alkyl;  
-Y-aryl;  
-Y-C<sub>1-6</sub> alkylaryl;  
-Y-C<sub>1-6</sub>-alkyl-NR<sub>14</sub>R<sub>15</sub>;  
-Y-C<sub>1-6</sub>-alkyl-W-R<sub>16</sub>;

wherein Y and W independently ~~comprise~~ are -CH<sub>2</sub>-, -O-, -N(H)-, -S-, SO<sub>2</sub>-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -NHSO<sub>2</sub>NH-, -O-CO-,




R<sub>16</sub>, R<sub>17</sub>, and R<sub>18</sub> independently ~~comprise~~ are hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylaryl, C<sub>1</sub>-C<sub>6</sub> alkoxy, or C<sub>1</sub>-C<sub>6</sub> alkoxyaryl; or

- c) halogen, hydroxyl, cyano, carbamoyl, or carboxyl; and

R<sub>14</sub> and R<sub>15</sub> independently ~~comprises~~ is hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, or C<sub>1</sub>-C<sub>6</sub> alkylaryl;  
and wherein

R<sub>14</sub> and R<sub>15</sub> may be taken together to form a ring having the formula -(CH<sub>2</sub>)<sub>o</sub>-Z-(CH<sub>2</sub>)<sub>p</sub>-  
bonded to the nitrogen atom to which R<sub>14</sub> and R<sub>15</sub> are attached, wherein o and p are,  
independently, 1, 2, 3, or 4; Z ~~comprises~~ is a direct bond, -CH<sub>2</sub>-, -O-, -S-, -S(O<sub>2</sub>)-, -C(O)-  
, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -O-C(O)-,  
-NHSO<sub>2</sub>NH-,



R<sub>19</sub> and R<sub>20</sub> independently ~~comprise~~ are hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, or C<sub>1</sub>-C<sub>6</sub> alkylaryl.

8. Canceled.

9. Canceled.

10. Canceled.

<sup>8</sup> 11. (Withdrawn –currently amended) The compound of claim 1, wherein the  
compound ~~comprises~~ is 3-(4-Benzoyloxyphenyl)propionic Acid 2,4-Di-(3-Diethylamino-  
1-propoxy)aniline Amide.

<sup>9</sup> 12. (Currently amended) The compound of claim ~~61~~ <sup>58</sup>, wherein the compound  
~~comprises~~ is 3-(3-Tert-butoxyphenyl)-3-(9-fluorenylmethoxycarbonylamino)propionic  
Acid 2,4-Di-(3-diethylaminopropoxy)aniline Amide.

<sup>13</sup>  
13. (Withdrawn –currently amended) The compound of claim <sup>59</sup>~~62~~, wherein the compound ~~comprises~~ is 3-(3-Tert-butoxyphenyl)-3-aminopropionic Acid 2,4-Di-(3-diethylaminopropoxy)aniline Amide.

<sup>11</sup>  
14. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is 3-(4-Tetrahydropyranyl)-2-aminopropionic Acid 4-Diethylaminoethoxycarbonyl-2-butoxyaniline Amide Dihydrochloride.

<sup>12</sup>  
15. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is (2S, 4R)-4-Tert-Butoxypyrrolidine-2-carboxylic acid 2,4-Di-(3-diethylamino-1-propoxy)aniline Amide.

<sup>13</sup>  
16. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is (3S)-1,2,3,4-Tetrahydroisoquinoline-3-carboxylic Acid 4-Diethylaminoethoxycarbonyl-2-butoxyaniline Amide Dihydrochloride.

<sup>14</sup>  
17. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is (R)-3-(4-Benzoyloxyphenyl)-2-(1-imidazolyl)propionic Acid 4-Diethylaminoethoxycarbonyl-2-butoxyaniline Amide.

<sup>15</sup>  
18. (Currently amended) The compound of claim <sup>58</sup>~~61~~, wherein the compound ~~comprises~~ is 3-(4-Tert-butoxyphenyl)-3-(9-fluorenylmethoxycarbonylamino)propionic Acid 2,4-Di-(3-diethylaminopropoxy)aniline Amide.

<sup>16</sup>  
19. (Withdrawn –currently amended) The compound of claim <sup>59</sup>~~62~~, wherein the compound ~~comprises~~ is 3-amino-3-(4-tert-butoxyphenyl)propionic Acid 2,4-Di-(3-diethylaminopropoxy)aniline Amide.

<sup>17</sup>  
~~20~~. (Currently amended) The compound of claim <sup>59</sup>~~61~~, wherein the compound comprises is 3-(9-fluorenylmethoxycarbonylamino)-3-(2-tert-butoxyphenyl)propionic Acid 2,4-Di-(3-diethylaminopropoxy)aniline Amide.

<sup>18</sup>  
~~21~~. (Withdrawn –currently amended) The compound of claim <sup>59</sup>~~62~~, wherein the compound comprises is 3-amino-3-(2-tert-butoxyphenyl)propionic Acid 2,4-Di-(3-diethylaminopropoxy)aniline Amide.

<sup>19</sup>  
~~22~~. (Withdrawn –currently amended) The compound of claim <sup>59</sup>~~62~~, wherein the compound comprises is 3-Isopropylamino-3-(3-tert-butoxyphenyl)propionic Acid 2,4-Di-(3-diethylaminopropoxy)aniline Amide.

<sup>20</sup>  
~~23~~. (Withdrawn –currently amended) The compound of claim 1, wherein the compound comprises is (2R)-2-tert-butoxycarbonylamino-3-[4-(benzyloxy)phenyl]propionic Acid 4-(3-diethylaminopropoxy)-N- benzylaniline Amide.

<sup>21</sup>  
~~24~~. (Withdrawn –currently amended) The compound of claim 1, wherein the compound comprises is (2R)-2-tert-butoxycarbonylamino-3-[4-(benzyloxy)phenyl]propionic Acid 4-(3-diethylaminopropoxy)-N-cyclopentylmethylaniline Amide.

<sup>22</sup>  
~~25~~. (Withdrawn –currently amended) The compound of claim 1, wherein the compound comprises is (2R)-2-tert-butoxycarbonylamino-3-[4-(benzyloxy)phenyl]propionic Acid 4-(3-diethylaminopropoxy)-N- isopropylaniline Amide.

<sup>23</sup>  
~~26~~. (Withdrawn –currently amended) The compound of claim 1, wherein the compound comprises is (2R)-2-amino-3-[4-(benzyloxy)phenyl]propionic Acid 4-(3-diethylaminopropoxy)-N- cyclohexylmethylaniline Amide.

24

27. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is (2R)-2-amino-3-[4-(benzyloxy)phenyl]propionic Acid 4-(3-diethylaminopropoxy)-N- cyclopentylmethylaniline Amide.

25

28. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is (2R)-2-tert-butoxycarbonylamino-3-[4-(benzyloxy)phenyl]propionic Acid 4-(3-diethylaminopropoxy)-N- butylaniline Amide.

26

29. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is (2R)-2-amino-3-[4-(benzyloxy)phenyl]propionic Acid 4-(3-diethylaminopropoxy)-N- butylaniline Amide.

27

30. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is (2R)-2-tert-butoxycarbonylamino-3-[4-(benzyloxy)phenyl]propionic Acid 3-(3-diethylaminopropoxy)-N- butylaniline Amide.

28

31. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is (2R)-2-amino-3-[4-(benzyloxy)phenyl]propionic Acid 3-(3-diethylaminopropoxy)-N- butylaniline Amide.

26

32. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is 3-(1-Tert-butoxycarbonylpiperidin-4-yl)-2-(9-fluorenylmethoxycarbonylamino)propionic Acid 4-Diethylaminopropoxy-2-butoxyaniline Amide.

30

33. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is 3-(Piperidin-4-yl)-2-(9-fluorenylmethoxycarbonylamino)propionic Acid 4-Diethylaminopropoxy-2-butoxyaniline Amide.

31  
34. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is 3-(1-Benzylpiperidin-4-yl)-2-(9-fluorenylmethoxycarbonylamino)propionic Acid 4-Diethylaminopropoxy-2-butoxyaniline Amide.

32  
35. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is 3-(1-Benzylpiperidin-4-yl)-2-aminopropionic Acid 4-Diethylaminopropoxy-2-butoxyaniline Amide.

33  
36. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is 3-(1-Benzylloxycarbonylpiperidin-4-yl)-2-(9-fluorenylmethoxycarbonylamino)propionic Acid 4-Diethylaminopropoxy-2-butoxyaniline Amide.

34  
37. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is 3-(1-Benzoylpiperidin-4-yl)-2-(9-fluorenylmethoxycarbonylamino)propionic Acid 4-Diethylaminopropoxy-2-butoxyaniline Amide.

35  
38. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is 3-(1-Benzoylpiperidin-4-yl)-2-benzoylamino)propionic Acid 4-Diethylaminopropoxy-2-butoxyaniline Amide.

36  
39. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is 3-(Tert-butoxycarbonylpiperidin-3-yl)-2-(9-fluorenylmethoxycarbonylamino)propionic Acid 4-Diethylaminopropoxy-2-butoxyaniline Amide.

37  
40. (Withdrawn –currently amended) The compound of claim 1, wherein the compound ~~comprises~~ is 3-(Piperidin-3-yl)-2-(9-

fluorenylmethoxycarbonylamino)propionic Acid 4-Diethylaminopropoxy-2-butoxyaniline Amide.

<sup>38</sup>  
~~41~~. (Withdrawn) A pharmaceutical composition comprising the compound of Formula (I) as claimed in claim 1, and one or more pharmaceutically acceptable carriers, excipients, or diluents.

<sup>39</sup>  
~~42~~. (Withdrawn) The pharmaceutical composition of claim <sup>38</sup>~~41~~, in the form of an oral dosage or parenteral dosage unit.

<sup>40</sup>  
~~43~~. (Withdrawn) The pharmaceutical composition of claim <sup>38</sup>~~41~~, wherein said compound is administered as a dose in a range from about 0.01 to 500 mg/kg of body weight per day.

<sup>41</sup>  
~~44~~. (Withdrawn) The pharmaceutical composition of claim <sup>38</sup>~~41~~, wherein said compound is administered as a dose in a range from about 0.1 to 200 mg/kg of body weight per day.

<sup>42</sup>  
~~45~~. (Withdrawn) The pharmaceutical composition of claim <sup>38</sup>~~41~~, wherein said compound is administered as a dose in a range from about 0.1 to 100 mg/kg of body weight per day.

<sup>43</sup>  
~~46~~. (Withdrawn) The pharmaceutical composition of claim <sup>38</sup>~~41~~, further comprising one or more therapeutic agents selected from the group consisting of alkylating agents, antimetabolites, plant alkaloids, antibiotics, hormones, biologic response modifiers, analgesics, NSAIDs, DMARDs, glucocorticoids, sulfonyleureas, biguanides, insulin, cholinesterase inhibitors, antipsychotics, antidepressants, and anticonvulsants.

<sup>44</sup>  
~~47~~. (Withdrawn) A method for the inhibition of the interaction of RAGE with its physiological ligands, which comprises administering to a subject in need thereof, at least one compound of Formula (I) as claimed in claim 1.

<sup>45</sup>  
~~48~~. (Withdrawn) The method of claim <sup>44</sup>~~47~~, wherein the ligand(s) is(are) selected from advanced glycated end products (AGEs), S100/calgranulin/EN-RAGE,  $\beta$ -amyloid and amphoterin.

<sup>46</sup>  
~~49~~. (Withdrawn) A method for treating a disease state selected from the group consisting of acute and chronic inflammation, symptoms of diabetes, vascular permeability, nephropathy, atherosclerosis, retinopathy, Alzheimer's disease, erectile dysfunction, and tumor invasion and/or metastasis, which comprises administering to a subject in need thereof a therapeutically effective amount of at least one compound of Formula (I) as claimed in claim 1.

<sup>47</sup>  
~~50~~. (Withdrawn) A method of prevention and/or treatment of RAGE mediated human diseases comprising administration to a human in need thereof a therapeutically effective amount of a compound of Formula (I) as claimed in claim 1, wherein a therapeutically effective amount comprises sufficient compound to at least partially inhibit the binding of a ligand to the RAGE receptor.

<sup>48</sup>  
~~51~~. (Withdrawn) The method of claim <sup>47</sup>~~50~~, further comprising administering to a subject in need thereof at least one adjuvant and/or additional therapeutic agent(s).

<sup>49</sup>  
~~52~~. (Withdrawn) A method of claim <sup>48</sup>~~51~~, wherein therapeutic agents selected from the group consisting of alkylating agents, antimetabolites, plant alkaloids, antibiotics, hormones, biologic response modifiers, analgesics, NSAIDs, DMARDs, glucocorticoids, sulfonylureas, biguanides, insulin, cholinesterase inhibitors, antipsychotics, antidepressants, and anticonvulsants.



<sup>50</sup>  
~~53~~. (Withdrawn- currently amended) The method of claim <sup>47</sup>~~50~~, wherein the RAGE mediated human disease comprises acute and/or chronic inflammation.

<sup>51</sup>  
~~54~~. (Withdrawn- currently amended) The method of claim <sup>47</sup>~~50~~, wherein the RAGE mediated human disease comprising vascular permeability.

<sup>52</sup>  
~~55~~. (Withdrawn- currently amended) The method of claim <sup>47</sup>~~50~~, wherein the RAGE mediated human disease comprising ephropathy.

<sup>53</sup>  
~~56~~. (Withdrawn- currently amended) The method of claim <sup>47</sup>~~50~~, wherein the RAGE mediated human disease comprises atherosclerosis.

<sup>54</sup>  
~~57~~. (Withdrawn- currently amended) The method of claim <sup>47</sup>~~50~~, wherein the RAGE mediated human disease comprising retinopathy.

<sup>55</sup>  
~~58~~. (Withdrawn- currently amended) The method of claim <sup>47</sup>~~50~~, wherein the RAGE mediated human disease comprising Alzheimer's disease.


<sup>56</sup>  
~~59~~. (Withdrawn- currently amended) The method of claim <sup>47</sup>~~50~~, wherein the RAGE mediated human disease comprises erectile dysfunction.

<sup>57</sup>  
~~60~~. (Withdrawn- currently amended) The method of claim <sup>47</sup>~~50~~, wherein the RAGE mediated human disease comprises tumor invasion and/or metastasis.

<sup>58</sup>  
~~61~~. (Previously presented) The compound of claim 1, wherein

G<sub>1</sub> is -CH<sub>2</sub>-


G<sub>2</sub> is



wherein

$R_5$  and  $R_6$  are independently selected from the group consisting of

- i) -H;
- ii) -C<sub>1-6</sub> alkyl;
- iii) -aryl;
- iv) -C<sub>1-6</sub> alkylaryl;
- v) -C(O)-O-C<sub>1-6</sub> alkyl;
- vi) -C(O)-O-C<sub>1-6</sub> alkylaryl;
- vii) -C(O)-O-C<sub>1-6</sub> alkylcycloalkylaryl;
- viii) -C(O)-NH-C<sub>1-6</sub> alkyl;
- ix) -C(O)-NH-C<sub>1-6</sub> alkylaryl;
- x) -SO<sub>2</sub>-C<sub>1-6</sub> alkyl;
- xi) -SO<sub>2</sub>-C<sub>1-6</sub> alkylaryl;
- xii) -SO<sub>2</sub>-aryl;
- xiii) -SO<sub>2</sub>-NH-C<sub>1-6</sub> alkyl;
- xiv) -SO<sub>2</sub>-NH-C<sub>1-6</sub> alkylaryl;



- xvi) -C(O)-C<sub>1-6</sub> alkyl; or
- xvii) -C(O)-C<sub>1-6</sub> alkylaryl;


$R_1$  is

- a) hydrogen;
- b) -C<sub>1-6</sub> alkyl;
- c) -aryl; or


d) -C<sub>1-6</sub> alkylaryl;

R<sub>2</sub> is

- a) -C<sub>1-6</sub> alkyl;
- b) -aryl;
- c) -C<sub>1-6</sub> alkylaryl; or
- d) a group of the formula



wherein m and n are independently selected from 1, 2, 3, or 4; X is a direct bond, CH<sub>2</sub>-, -O-, -S-, -S(O<sub>2</sub>)-, -C(O)-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -O-C(O)-, -NHSO<sub>2</sub>NH-,




-Q<sub>1</sub>- is C<sub>1-6</sub> alkylene, C<sub>2-6</sub> alkenylene, or C<sub>2-6</sub> alkynylene;


R<sub>3</sub> is

- a) hydrogen;
- b) -C<sub>1-6</sub> alkyl;
- c) -C<sub>1-6</sub> alkylaryl; or
- d) -C<sub>1-6</sub> alkoxyaryl;; and

R<sub>4</sub> is




wherein L is  $-\text{CH}_2-$ ,  $-\text{O}-$ ,  $-\text{N}(\text{H})-$ ,  $-\text{S}-$ ,  $\text{SO}_2-$ ,  $-\text{CON}(\text{H})-$ ,  $-\text{NHC}(\text{O})-$ ,  $-\text{NHCON}(\text{H})-$ ,  $-\text{NH}\text{SO}_2-$ ,  $-\text{SO}_2\text{N}(\text{H})-$ ,  $-\text{C}(\text{O})-\text{O}-$ ,  $-\text{NHSO}_2\text{NH}-$ ,  $-\text{O}-\text{CO}-$ ,



$\text{R}_{36}$  and  $\text{R}_{37}$  are independently selected from the group consisting of hydrogen, aryl,  $\text{C}_1$ - $\text{C}_6$  alkyl,  $\text{C}_1$ - $\text{C}_6$  alkylaryl,  $\text{C}_1$ - $\text{C}_6$  alkoxy, and  $\text{C}_1$ - $\text{C}_6$  alkoxyaryl;

$\text{R}_{12}$  and  $\text{R}_{13}$  are independently selected from the group consisting of hydrogen,  $\text{C}_1$ - $\text{C}_6$  alkyl,  $\text{C}_1$ - $\text{C}_6$  alkylaryl, and aryl;

$\text{R}_7$  and  $\text{R}_8$  are independently selected from the group consisting of hydrogen,  $\text{C}_1$ - $\text{C}_6$  alkyl,  $\text{C}_1$ - $\text{C}_6$  alkylaryl, and aryl; or  $\text{R}_7$  and  $\text{R}_8$  are taken together to form a ring having the formula  $-(\text{CH}_2)_{o'}-\text{Z}'-(\text{CH}_2)_{p'}$  bonded to the atoms to which  $\text{R}_7$  and  $\text{R}_8$  are attached, wherein  $o'$  and  $p'$  are, independently, 1, 2, 3, or 4;  $\text{Z}'$  is a direct bond,  $-\text{CH}_2-$ ,  $-\text{O}-$ ,  $-\text{S}-$ ,  $-\text{S}(\text{O}_2)-$ ,  $-\text{C}(\text{O})-$ ,  $-\text{CON}(\text{H})-$ ,  $-\text{NHC}(\text{O})-$ ,  $-\text{NHCON}(\text{H})-$ ,  $-\text{NH}\text{SO}_2-$ ,  $-\text{SO}_2\text{N}(\text{H})-$ ,  $-\text{C}(\text{O})-\text{O}-$ ,  $-\text{O}-\text{C}(\text{O})-$ ,  $-\text{NHSO}_2\text{NH}-$ ,




$R_{40}$  and  $R_{41}$  are independently selected from the group consisting of hydrogen, aryl,  $C_1$ - $C_6$  alkyl, and  $C_1$ - $C_6$  alkylaryl; and

wherein

the aryl and/or alkyl group(s) in  $R_1$ ,  $R_2$ ,  $R_3$ ,  $R_4$ ,  $R_5$ ,  $R_6$ ,  $R_7$ ,  $R_8$ ,  $R_{12}$  and  $R_{13}$  may be optionally substituted 1-4 times with a substituent group, wherein said substituent group(s) or the term substituted refers to groups:

- a) -H;
- b) -Y- $C_{1-6}$  alkyl;  
-Y-aryl;  
-Y- $C_{1-6}$  alkylaryl;  
-Y- $C_{1-6}$ -alkyl- $\text{NR}_{14}\text{R}_{15}$ ;  
-Y- $C_{1-6}$ -alkyl-W- $\text{R}_{16}$ ;

wherein Y and W are independently selected from the group consisting of - $\text{CH}_2$ -, -O-, -N(H)-, -S-,  $\text{SO}_2$ -, -CON(H)-, -NHC(O)-, -NHCON(H)-, - $\text{NHSO}_2$ -, - $\text{SO}_2\text{N(H)}$ -, -C(O)-O-, - $\text{NHSO}_2\text{NH}$ -, -O-CO-,




$\text{R}_{16}$ ,  $\text{R}_{17}$ , and  $\text{R}_{18}$  are independently selected from the group consisting of hydrogen, aryl,  $\text{C}_1$ - $\text{C}_6$  alkyl,  $\text{C}_1$ - $\text{C}_6$  alkylaryl,  $\text{C}_1$ - $\text{C}_6$  alkoxy, and  $\text{C}_1$ - $\text{C}_6$  alkoxyaryl; and

c) halogen, hydroxyl, cyano, carbamoyl, and carboxyl; and

$\text{R}_{14}$  and  $\text{R}_{15}$  are independently selected from the group consisting of hydrogen, aryl,  $\text{C}_1$ - $\text{C}_6$  alkyl, and  $\text{C}_1$ - $\text{C}_6$  alkylaryl; or

$\text{R}_{14}$  and  $\text{R}_{15}$  are taken together to form a ring having the formula  $-(\text{CH}_2)_o\text{-Z-(CH}_2)_p\text{-}$  bonded to the nitrogen atom to which  $\text{R}_{14}$  and  $\text{R}_{15}$  are attached, wherein o and p are, independently, 1, 2, 3, or 4; Z is a direct bond,  $-\text{CH}_2-$ ,  $-\text{O}-$ ,  $-\text{S}-$ ,  $-\text{S}(\text{O}_2)-$ ,  $-\text{C}(\text{O})-$ ,  $-\text{CON}(\text{H})-$ ,  $-\text{NHC}(\text{O})-$ ,  $-\text{NHCON}(\text{H})-$ ,  $-\text{NH}\text{SO}_2-$ ,  $-\text{SO}_2\text{N}(\text{H})-$ ,  $-\text{C}(\text{O})-\text{O}-$ ,  $-\text{O}-\text{C}(\text{O})-$ ,  $-\text{NH}\text{SO}_2\text{NH}-$ ,




$\text{R}_{19}$  and  $\text{R}_{20}$  are independently selected from the group consisting of hydrogen, aryl,  $\text{C}_1$ - $\text{C}_6$  alkyl, and  $\text{C}_1$ - $\text{C}_6$  alkylaryl.

59  
62. (Withdrawn) The compound of claim 61,  
wherein

G<sub>1</sub> is -CH<sub>2</sub>-

G<sub>2</sub> is



wherein


R<sub>5</sub> is -H; and

R<sub>6</sub> is

- i) -H;
- ii) -C<sub>1-6</sub> alkyl; or
- iii) -C(O)-O-C<sub>1-6</sub> alkylcycloalkylaryl;

R<sub>1</sub> is -H;



R<sub>2</sub> is




;


R<sub>3</sub> is -H; and

R<sub>4</sub> is





wherein L is -CH<sub>2</sub>-, -O-, -N(H)-, -S-, SO<sub>2</sub>-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NHSO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -NHSO<sub>2</sub>NH-, -O-CO-,



R<sub>36</sub> and R<sub>37</sub> are independently selected from the group consisting of hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylaryl, C<sub>1</sub>-C<sub>6</sub> alkoxy, and C<sub>1</sub>-C<sub>6</sub> alkoxyaryl;

and wherein


the aryl and/or alkyl group(s) in R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub>, R<sub>7</sub>, R<sub>8</sub>, R<sub>12</sub> and R<sub>13</sub> may be optionally substituted 1-4 times with a substituent group, wherein said substituent group(s) or the term substituted refers to groups:

- a) -H;
- b) -Y-C<sub>1-6</sub> alkyl;  
-Y-aryl;  
-Y-C<sub>1-6</sub> alkylaryl;  
-Y-C<sub>1-6</sub>-alkyl-NR<sub>14</sub>R<sub>15</sub>;  
-Y-C<sub>1-6</sub>-alkyl-W-R<sub>16</sub>;

wherein Y and W are independently selected from the group consisting of -CH<sub>2</sub>-, -O-, -N(H)-, -S-, SO<sub>2</sub>-, -



CON(H)-, -NHC(O)-, -NHCON(H)-, -NH<sub>2</sub>SO<sub>2</sub>-, -SO<sub>2</sub>N(H)-,  
-C(O)-O-, -NH<sub>2</sub>SO<sub>2</sub>NH-, -O-CO-,




R<sub>16</sub>, R<sub>17</sub>, and R<sub>18</sub> are independently selected from the group consisting of hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkylaryl, C<sub>1</sub>-C<sub>6</sub> alkoxy, and C<sub>1</sub>-C<sub>6</sub> alkoxyaryl; and

c) halogen, hydroxyl, cyano, carbamoyl, or carboxyl; and

R<sub>14</sub> and R<sub>15</sub> are independently selected from the group consisting of hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, and C<sub>1</sub>-C<sub>6</sub> alkylaryl; or

R<sub>14</sub> and R<sub>15</sub> are taken together to form a ring having the formula -(CH<sub>2</sub>)<sub>o</sub>-Z-(CH<sub>2</sub>)<sub>p</sub>- bonded to the nitrogen atom to which R<sub>14</sub> and R<sub>15</sub> are attached, wherein o and p are, independently, 1, 2, 3, or 4; Z is a direct bond, -CH<sub>2</sub>-, -O-, -S-, -S(O<sub>2</sub>)-, -C(O)-, -CON(H)-, -NHC(O)-, -NHCON(H)-, -NH<sub>2</sub>SO<sub>2</sub>-, -SO<sub>2</sub>N(H)-, -C(O)-O-, -O-C(O)-, -NH<sub>2</sub>SO<sub>2</sub>NH-,



R<sub>19</sub> and R<sub>20</sub> are independently selected from the group consisting of hydrogen, aryl, C<sub>1</sub>-C<sub>6</sub> alkyl, and C<sub>1</sub>-C<sub>6</sub> alkylaryl.